

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with (key\$4 button\$4) same circuit\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:05
L2	19	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with (key\$4 button\$4) same circuit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:05
L3	10	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with (key\$4 button\$4) same flange	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:06
L4	2	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with (key\$4 button\$4) same flange.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:06
S1	982	(425/812).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:44
S2	486	S1 and vent\$\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:44
S3	473	S1 and vent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:45
S4	2	("2003164254").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:45
S5	2	("4670633").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 13:12

S6	1	("20117019").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/04 09:59
S7	2	("4670633").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/04 10:41
S8	9	400/472 and inject\$6 near3 mold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/04 11:46
S9	3	(400/472 and inject\$6 near3 mold) and cavit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/04 10:46
S10	0	((400/472 and inject\$6 near3 mold) and cavit\$5) and runner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/04 10:46
S11	2	(400/472 and inject\$6 near3 mold) and air	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/04 10:50
S12	3	(400/472 and inject\$6 near3 mold) and (vent\$4 apertur\$4 inlet\$4 outlet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/04 10:51
S13	11	("2711711"   "3144643"   "3755661"   "4088855"   "4124879"   "4177501"   "4288672"   "4349705"   "4439646"   "4449024"   "4493958").PN.	USPAT	OR	ON	2004/02/04 11:36
S14	1255	400/472	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:41
S15	6	("2891649"   "2978086"   "3120584"   "3353038"   "3725908"   "4258356").PN.	USPAT	OR	ON	2004/02/04 11:41

S16	1255	400/472	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 10:44
S17	2	("6634818").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/04 15:49
S18	2	("6406201").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/04 15:49
S19	11	("2711711"   "3144643"   "3755661"   "4088855"   "4124879"   "4177501"   "4288672"   "4349705"   "4439646"   "4449024"   "4493958").PN.	USPAT	OR	OFF	2004/10/20 08:58
S20	2	("20030002901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 10:35
S21	1352	400/472	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 14:59
S22	471	(400/472).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 15:00
S23	25	((400/472).CCLS.) and clearance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 16:54
S24	12	(swivel\$4 spin\$4) same (hing\$4 clamp\$4) same stencil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 16:56

S25	2	(swivel\$4 spin\$4) adj (hing\$4 clamp\$4) same stencil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/20 16:56
S26	48246	resin adj mold\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:37
S27	0	resin adj mold\$4 adj keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:38
S28	4	resin adj mold\$4 adj key near1 top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:39
S29	0	(G09F007/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:39
S30	0	(G09F007/16.ipc.).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:44
S31	227012	B29C 045/14.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:41
S32	25	(B29C 045/14.ipc. ) and keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:44
S33	7	((B29C 045/14.ipc. ) and keypad) and mold\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:43
S34	90512	G09F 007/16.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:44

S35	63	(G09F 007/16.ipc.) and keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:44
S36	0	(G09F 007/16.ipc.) and keypad and mold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:44
S37	8	B29C.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:46
S38	15	injection same mold same keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 16:47
S39	0	((264/328.1).CCLS.) and molten adj resin same keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 13:13
S40	0	((264/328.1).CCLS.) and molten adj resin same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 13:13
S41	320	((264/328.1).CCLS.) and molten adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 13:14
S42	252	((264/328.1).CCLS.) and runner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 13:15
S43	1357	400/472	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:41
S44	0	(400/472 and key adj top) and relief adj (protrusion\$4 flang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:48

S45	3	(400/472 and key adj top) and relief	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:43
S46	133	400/472 and key adj top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:46
S47	54	(400/472 and key adj top) and mold\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:46
S48	2369	(264/328.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 08:48
S49	0	((264/328.1).CCLS.) and relief adj (protrusion\$4 flang\$4) same key adj top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:48
S50	0	((264/328.1).CCLS.) and relief adj (protrusion\$4 flang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:48
S51	2	((264/328.1).CCLS.) and key adj top	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 09:16
S52	50	((264/328.1).CCLS.) and mold\$4 same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 08:50
S53	2099	((264/328.1).CCLS.) and mold\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 09:51
S54	84	((264/328.1).CCLS.) and mold\$4 and key\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 09:27

S55	84	((264/328.1).CCLS.) and mold\$4 and key\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 09:27
S56	0	264/328.12,ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 09:51
S57	555	264/328.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 11:44
S58	4	(("6437972") or ("6152627")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:05
S59	0	S58 and translucent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:05
S60	11083	translucent same sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:05
S61	43	keyboard same translucent same sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:08
S62	35	keyboard same translucent with sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 13:08
S63	275	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with key\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:29
S64	16	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with key\$4 same circuit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:29

S65	1	"20117019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:09
S66	1	("20117019").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:10
S67	497	(400/472).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 10:13
S68	340	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with (key\$4 button\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:29
S69	17	(translucen\$4 transpare\$4 clear) with (sheet\$4 layer\$4) same resin with (key\$4 button\$4) same circuit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S70	94	translucent with key with sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:27
S71	4	translucent near3 key adj sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:00
S72	5	translucent adj key adj sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:00
S73	11	S70 and EI and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:28
S74	2	("6270177").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:28



S75	2	("5020926"   "5909227").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/14 16:33
S76	2	("6238044").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:33
S77	7	("4223324"   "4296418"   "5409138"   "5778160"   "5784088"   "5847735"   "6048055").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/14 16:37
S78	57148	("400").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:37
S79	5	S78 and (Crenshaw and Silverbrook)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:38
S80	0	S78 and (Collia and Silverbrook)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:38
S81	7	S78 and (Colilla and Silverbrook)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 10:31
S82	4	((("6437972") or ("6152627"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 10:31
S83	0	S82 and translucen\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 10:31